

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11261	((generat\$5 or creat\$5) near6 key) with (password or passphrase or ((user or client) near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:11
L2	1095	l1 and (MAC or HMAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:12
L3	479	L2 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:14
L4	100	L2 and ((first and second) near5 key) same (password or passphrase or (((user or client) near4 generated) near7 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:17
L5	53	L2 and ((first and second) near5 key) with (password or passphrase or (((user or client) near4 generated) near7 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:28
L6	34	L2 and ((first and second) near5 key) with (password or passphrase or (((user or client) near4 generated) near7 key)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46
L7	163	((first and second) near5 key) with (password or passphrase or (((user or client) near4 generated) near7 key)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:28
L8	0	713/168.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46
L9	1554	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46

EAST Search History

L10	13	L9 and ((first and second) near5 key) with (password or passphrase or (((user or client) near4 generated) near7 key)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:17
L11	8	(713/184.ccls.) and ((first and second) near5 key) with (password or passphrase or (((user or client) near4 generated) near7 key)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:18
S1	0	"strong cipher block"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:05
S2	0	tiple near des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:16
S3	233	(triple near des) and aes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:16
S4	91	((triple near des) and aes) and ("back up" or backup or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:36
S5	2	((triple near des) and aes) and ("user name" or username)) and (compress\$3 near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:36
S6	36	((triple near des) and aes) and ("user name" or username)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:46
S7	12	((triple near des) and aes) and (compress\$2 near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:48
S8	590	(des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:52

EAST Search History

S9	229	((des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:53
S10	10	((((des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression) and hmac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:50
S11	590	(" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:52
S12	229	(((" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:20
S13	1	(((" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression and ("128 bits" near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:23
S14	77	(((" des " or " aes ") and (backup or "back up" or back-up)) and compression and ("128 bits" near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:33
S15	122	AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:34
S16	86	(AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)) AND ((128-BITS) OR "128 BITS")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:39
S17	3	"6199162".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:41

EAST Search History

S18	1326	key same "128 bits"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:42
S19	1	(key same "128 bits") and (encrypt\$3 near (compressed near file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:42
S20	1326	key same (128-bit or 128-bits or "128 bits")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:43
S21	3	(key same (128-bit or 128-bits or "128 bits")) and "strong block cipher"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:39
S22	248	(add\$3 same (authentication near code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:45
S23	23	((add\$3 same (authentication near code))) and ((first and second) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:52
S24	8	((((add\$3 same (authentication near code))) and ((first and second) near key)) and (passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:13
S25	8	((((add\$3 same (authentication near code))) and ((first and second) near key)) and ("pass phrase" or passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:16
S26	0	(((((add\$3 same (authentication near code))) and ((first and second) near key)) and ("pass phrase" or passphrase or pin)) and User-provided	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:15
S27	8	((first and second) near key) and ((user-provided or "user provided" or user-defined or "user defined") same ("pass phrase" or passphrase or pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:20

EAST Search History

S28	9	ashe and pin and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:38
S29	0	ashe.in. and pin and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S30	331	ashe.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S31	26	ashe.in. and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S32	335800	AES AND DES	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:50
S33	4	(AES AND DES) and header and username and (compressed near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:22
S34	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:47
S35	222	(bundle or packet) same (compressed near10 files)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:05
S36	42	((bundle or packet) same (compressed near10 files)) and (password or passphrase or "pass phrase")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:49
S37	3	((bundle or packet) same (compressed near10 files)) and (dynamic same key) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:06

EAST Search History

S38	0	((bundle or packet) same (compressed near10 files)) and (user-defined same key) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:08
S39	3	((bundle or packet) same (compressed near10 files)) and ((generat\$3 near10 key) same (password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:12
S40	209	(back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:13
S41	165	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:13
S42	0	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and (transmit\$3 near10 "compressed files")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:15
S43	0	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and ((packag\$3 or pecketiz\$3) near10 "compressed files")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:15
S44	23	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and ((first and second) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:06
S45	1	"5495533".PN.	USPAT	OR	OFF	2004/07/21 13:17
S46	1	"5212784".PN.	USPAT	OR	OFF	2004/07/21 13:17
S47	1	"5163148".PN.	USPAT	OR	OFF	2004/07/21 13:17
S48	1	"5163148".PN.	USPAT	OR	OFF	2004/07/21 13:18
S49	1	"5155845".PN.	USPAT	OR	OFF	2004/07/21 13:18
S50	1	"5003936".PN.	USPAT	OR	OFF	2004/07/21 13:19
S51	1	"4914576".PN.	USPAT	OR	OFF	2004/07/21 13:19
S52	1	"4819154".PN.	USPAT	OR	OFF	2004/07/21 13:19
S53	1	"5953422".PN.	USPAT	OR	OFF	2004/07/21 13:21
S54	1	"5889860".PN.	USPAT	OR	OFF	2004/07/21 13:22

EAST Search History

S55	1	"5870477".PN.	USPAT	OR	OFF	2004/07/21 13:31
S56	1	"5870468".PN.	USPAT	OR	OFF	2004/07/21 13:35
S57	1	"5748735".PN.	USPAT	OR	OFF	2004/07/21 13:36
S58	1	"5555304".PN.	USPAT	OR	OFF	2004/07/21 13:41
S59	6262	(remote or network) near10 (backup or back-up or "back up")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:08
S60	6	((remote or network) near10 (backup or back-up or "back up")) and ((bundle or packet) same (compressed near10 files))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:11
S61	390298	transmit\$3 near10 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:11
S62	914	(transmit\$3 near10 data) and (backup near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:12
S63	205	((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:12
S64	159	((((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)) and (password or passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S65	10	(((((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)) and (password or passphrase or pin)) and (generat\$3 near key) and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:05
S66	1894	client and (backup near10 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:05

EAST Search History

S67	1	(client and (backup near10 server)) and (authenticat\$3 near10 code) and ((password near generated) same (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 16:40
S68	5	(backup near10 server) and ((password near generated) same (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 16:40
S69	2	"5940507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 11:04
S70	1	"5235641".PN.	USPAT; USOCR	OR	ON	2005/04/26 10:59
S71	1	"5748735".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:01
S72	1	"5721777".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:02
S73	1	"5719938".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:03
S74	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 11:04
S75	1	"5495533".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:05
S76	1	"5003936".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:07
S77	1	"5163148".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:07
S78	1	"5212784".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:08
S79	1	"5155845".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:08
S80	1	"4819154".PN.	USPAT; USOCR	OR	ON	2005/04/26 11:08
S81	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:49

EAST Search History

S82	2	"5940507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:27
S83	0	hamc and "strong cipher"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:28
S84	1	hmac and "strong cipher"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:30
S85	147	hmac and compress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:30
S86	83	S85 and ((attach\$5 or add\$5) near10 hmac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:31
S87	0	S86 and (encrypt\$5 near10 compress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:33
S88	83	S86 and (encrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:34
S89	16	S86 and (encrypt\$5) and (back-up or "back up")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:41
S90	83	S86 and (encrypt\$5) and (transfer\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:41
S91	83	S90 and integrity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04

EAST Search History

S92	0	S91 not S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:42
S93	67	S91 not S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:44
S94	67	S93 and (hash\$5 near5 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:45
S95	0	S94 and ((encrypt\$5 or cryptographic) near key) and (remote near4 (server or database or ripository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47
S96	0	S94 and ((encrypt\$5 or cryptographic) near key) and (remote near10 (server or database or ripository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47
S97	67	S94 and ((encrypt\$5 or cryptographic) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47
S98	67	S94 and ((encrypt\$5 or cryptographic) near key) and (server or database or ripository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47
S99	0	S90 and integrity and (mpeg near10 hmac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04
S10 0	0	S90 and integrity and (mpeg near10 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:05
S10 1	9	S90 and integrity and (mpeg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:08

EAST Search History

S10 2	9	S90 and integrity and (mpeg or jpeg or gif or wavelet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:09
S10 3	0	S102 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:09
S10 4	489	((secure near5 (send\$5 or transmit\$5 or transger\$5)) and (MPEG or JPEG or GIF or WAVELET))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:35
S10 5	17	S104 AND HMAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:11
S10 6	17	S105 NOT S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:11
S10 7	0	S104 AND "strong cipher block"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:14
S10 8	25	S104 and ((add\$5 or attach\$5) near10 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:21
S10 9	13	S104 and (((add\$5 or attach\$5) near10 hash) same (packet or bundle or block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:22
S11 0	50	((secure near5 (send\$5 or transmit\$5 or transger\$5)) and (MPEG or JPEG or GIF or WAVELET)) and crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:25
S11 1	2	"20040049468"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:36

EAST Search History

S11 2	2	"5214703".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:48
S11 3	2	"5235641".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:49
S11 4	2	"5495533".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:49
S11 5	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:22
S11 6	2	"5940507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:27
S11 7	2	"5659615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:28
S11 8	2	"5784597".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:34
S11 9	2	"5708961".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:04
S12 0	13293	(compress\$5 near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:04
S12 1	506	S120 and crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:04

EAST Search History

S12 2	87	S121 and ((append\$5 or concatinat\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:06
S12 3	2	S122 and cbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:26
S12 4	1	S122 and "cipher block chaining"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:28
S12 5	27	S120 and "cipher block chaining"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:06
S12 6	4	S122 and (encrypt\$5 near5 crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:46
S12 7	2	"5016009".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:50
S12 8	216	encrypt\$5 near3 crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:51
S12 9	149	encrypt\$5 near2 crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:05
S13 0	13	S129 and ((append\$5 or concatinat\$5) near5 crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 12:51
S13 1	72	encrypted near2 crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:05

EAST Search History

S13 2	2	S131 and ((append\$5 or concatinat\$5) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:07
S13 3	8	S131 and ((append\$5 or concatinat\$5) near5 crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:07
S13 4	8	S133 not S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 14:06
S13 5	2	"20040049468"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 14:06
S13 6	70	"cipher block chaining" and crc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:06
S13 7	70	S136 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:07
S13 8	2591	(cipher near5 block\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:21
S13 9	959	S138 and (((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:22
S14 0	23	S139 and (((first and second) near4 key) with pass\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:26
S14 1	23	S139 and (((first and second) near4 key) with (pass\$6 or ((pass or physical) adj1 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:40

EAST Search History

S14 2	0	S141 not S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:27
S14 3	34	S139 and (((first and second) or (authentication and encryption)) near4 key) with (pass\$6 or ((pass or physical) adj1 (key or phrase or code))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:52
S14 4	11	S143 not S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:41
S14 5	417	S139 and ((deriv\$5 or creat\$5 or generat\$5) with (((first and second) or (authentication and encryption)) near4 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:54
S14 6	224	(((deriv\$5 or creat\$5 or generat\$5) with (((first and second) or (authentication and encryption)) near4 key)) same ((pass adj1 (word or code or phrase)) or password or passcode or passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:55
S14 7	2591	S138 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:55
S14 8	7	S146 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:56
S14 9	76958	(password or passphrase or passcode or (pass adj1 (code or word or phrase)) with (seed or iv or "initial vector"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:44
S15 0	77260	(password or passphrase or passcode or (pass adj1 (code or word or phrase)) with (key or cipher))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:11

EAST Search History

S15 1	76951	S149 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:45
S15 2	727	S151 and (block near4 cipher)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:13
S15 3	199	S152 and HMAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:13
S15 4	164	S153 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:13
S15 5	164	S154 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:48
S15 6	0	S155 and "strong block cipher"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:48
S15 7	0	S155 and bundle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:49
S15 8	160	S155 and (key with "128 bit")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:02
S15 9	2	"5214703".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 09:54
S16 0	157	S158 and ((deriv\$5 or generat\$5 or creat\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:03

EAST Search History

S16 1	157	S158 and ((deriv\$5 or generat\$5 or creat\$5) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:04
S16 2	77069	(password or passphrase or passcode or (pass adj1 (code or word or phrase)) with (generated or derived or created))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:11
S16 3	76974	(password or passphrase or passcode or (pass adj1 (code or word or phrase)) adj1 (generated or derived or created))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:11
S16 4	11663	((password or passphrase or passcode or (pass adj1 (code or word or phrase)) adj1 (generated or derived or created)) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:12
S16 5	11660	((password or passphrase or passcode or (pass adj1 (code or word or phrase)) adj1 derived) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:25
S16 6	331	S165 and (block near4 cipher)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:16
S16 7	59	S166 and HMAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:13
S16 8	36	S167 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:14
S16 9	2	S168 not S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:14
S17 0	297	S166 not S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:16

EAST Search History

S17 1	48	S166 and "back up"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:18
S17 2	321	S165 and ((encryption and authentication) adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:25
S17 3	7	S172 and ((authentication adj1 code) with block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 10:26
S17 4	7	"7010689"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 09:33
S17 5	3	"7010689".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 09:42
S17 6	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 10:00
S17 7	20	matyas.in. and ("128 bit" near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 11:14
S17 8	10	S177 and cbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 10:01
S17 9	758	"DES" and ("128 bit" near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 11:14
S18 0	106	S179 AND "CBC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 11:15

EAST Search History

S18 1	6	S180 AND MATYAS.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/03 11:16
----------	---	---------------------	---	----	----	------------------